


807081

Table of contents

Overrun device V 251G dead center handbrake lever (807081)	3
Overrun device V 251G dead center handbrake lever (807081-1)	5
Overrun device V 251G - housing variants (ETK0115-3)	8
Coupling head AK 301 with accessories (ETK0117-3)	10
Coupling head WW 30-K+Z with accessories (ETK0125-1)	12
Stabiliser AKS3004 with accessories (ETK0119-1)	14
Overrun device V 251G - mounting variants for jockey wheel or clampbracket (ETK0116-3)	16

Overrun device V 251G dead center handbrake lever (807081)


807081



Overrun device V 251G dead center handbrake lever (807081)

Item no.	Article no.	Description	Quantity	Unit
1	807081-1	Overrun device V 251G dead center handbrake lever	1	PC
2	ETK0115-3	Overrun device V 251G - housing variants	1	PC
3	ETK0117-3	Coupling head AK 301 with accessories	1	PC
3	ETK0125-1	Coupling head WW 30-K+Z with accessories	1	PC
4	ETK0119-1	Stabiliser AKS3004 with accessories	1	PC
5	ETK0116-3	Overrun device V 251G - mounting variants for jockey wheel or clampbracket	1	PC

Overrun device V 251G dead center handbrake lever (807081-1)



Overrun device V 251G dead center handbrake lever (807081-1)


Item no.	Article no.	Description	Quantity	Unit	Remark
1	ETK0002	Housing	1	PC	At the time of order see graved drawing-no.
2	695528	Deflection levermounted iH=90:27	1	PC	
2	695529	Deflection lever mounted iH=90:30	1	PC	
2	695530	Deflection lever mounted iH=90:33,5	1	PC	
3	700203	Conical grease nipple AS 6x1 DIN 71412	1	PC	
4	696852	Spare parts set: Lever cpl. with spring package for type 251S and 251G	1	PC	
5	705434	Hexagon screw M12x90 DIN 931 8.8	1	PC	Old material number: 02.5021.80.82
6	705526	hexnut M12 DIN 985-10	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
7	706437	Self locking nut BIW M12	1	PC	
8	1731969	Spare parts set overrun device bushing	1	PC	Attention: After fitting the bearing bushes must be reamed to the particular draw bar diameter
9	371372	Damping rubber	1	PC	
10	1932611	Draw tube welded	1	PC	
11	695259	Bracket	1	PC	

Overrun device V 251G dead center handbrake lever (807081-1)


Item no.	Article no.	Description	Quantity	Unit	Remark
12	1931467	Shock absorber for permitted gross weight from 1550 kg to 3000 kg	1	PC	
13	707262	Clamping pin 12x48 ISO 8748-ST at drawing	1	PC	
14	375900	Conical grease nipple AS 8x1 DIN 71412	1	PC	
15	695202	Bellows	1	PC	
16	368605	Breakaway cable with hooks 950 mm length for common commercial trailers	1	PC	
17	695412	Hand brake lever incl. brake away cable	1	PC	

Overrun device V 251G - housing variants (ETK0115-3)


1A



1C






1B



Overrun device V 251G - housing variants (ETK0115-3)

Item no.	Article no.	Description	Quantity	Unit
1A	ETK0056	Housing without clamp	1	PC
1B	ETK0061	Housing with raised support wheel flange	1	PC
1C	ETK0059	Housing with clamps lower part	1	PC


Coupling head AK 301 with accessories (ETK0117-3)



Coupling head AK 301 with accessories (ETK0117-3)

Item no.	Article no.	Description	Quantity	Unit	Remark
1	1221746	Coupling head AK 301 PROFI	1	PC	
2	1223715	Coupling head AK 301 PROFI with mounting parts, Soft-Dock	1	PC	
3	1223427	Coupling head head AK301 with mounting parts + SAFETY-Kit	1	PC	
4	691937	Soft-dock AK301/351	1	PC	
5	1361617	User manual coupling head AK 301 and AK 351	1	PC	
6	705434	Hexagon screw M12x90 DIN 931 8.8	1	PC	Old material number: 02.5021.80.82
7	705526	hexnut M12 DIN 985-10	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
8	692319	Distance bracke Ø45	1	PC	
9	584884	Mounting bolt 48 mm	1	PC	
10	603392	Flat round screw M12x75 at drawing	1	PC	
11	1225678	Safety Ball	1	PC	
12	1222692	Plus lock barrel with Safety-Ball	1	PC	
13	589706	Seal plug black	1	PC	



Coupling head WW 30-K+Z with accessories (ETK0125-1)



Coupling head WW 30-K+Z with accessories (ETK0125-1)

Item no.	Article no.	Description	Quantity	Unit	Remark
1	1860801	Coupling head WW 30-K+Z	1	PC	
2	1860374	Screw M12 x80 10,9 special	1	PC	
3	1860375	Screw M12 x90 10,9 special	1	PC	
4	1860965	Support plate Ø22x12,5	1	PC	
5	706779	Self locking nut BIW M12	1	PC	For safety reasons: Self locking nuts and screws with chemical self locking must be used once. After untighten always use a new part.
6	1860970	Connection plate Ø40-Ø35 bended	1	PC	
7	1860971	Connection plate Ø50-Ø40 bended	1	PC	
8	1860968	Connection plate Ø50-Ø45 bended	1	PC	
9	1860969	Connection plate Ø50-Ø46 bended	1	PC	
10	584883	Mounting bolt 34 mm	1	PC	
11	584884	Mounting bolt 48 mm	1	PC	
12	1860309	User manual coupling head WW 30-K+Z	1	PC	


Stabiliser AKS3004 with accessories (ETK0119-1)



Stabiliser AKS3004 with accessories (ETK0119-1)

Item no.	Article no.	Description	Quantity	Unit	Remark
1	1225158	Stabiliser AKS3004 with Montageteile	1	PC	
2	1225155	Stabiliser AKS3004 three pack	1	PC	
3	692034	Bolt M12X78 at drawing	1	PC	Old material number: 02.5037.90.82
4	603392	Flat round screw M12x75 at drawing	1	PC	
5	706437	Self locking nut BIW M12	1	PC	
6	705397	Washer A 13 DIN 125-ST	1	PC	
7	692319	Distance bracke Ø45	1	PC	
8	692318	Distance bracke Ø35	1	PC	
9	584883	Mounting bolt 34 mm	1	PC	
10	584884	Mounting bolt 48 mm	1	PC	
11	607133	Bellows SAFETY-packed	1	PC	
12	695644	Retaining spring	1	PC	
13	1367804	User manual stabiliser AKS 3004 und AKS 3504	1	PC	
14	690332	AL-KO Safety Compact	1	PC	
15	605364	Instruction manual AL-KO Safety Compact	1	PC	
16	1225678	Safety Ball	1	PC	

Overrun device V 251G - mounting variants for jockey wheel or clampbracket (ETK0116-3)



Overrun device V 251G - mounting variants for jockey wheel or clampbracket (ETK0116-3)

Item no.	Article no.	Description	Quantity	Unit	Remark
1A	ETK0056	Housing without clamp	1	PC	
1C	ETK0059	Housing with clamps lower part	1	PC	
2	354243	Assembly group clamp	1	PC	
3	20531703	Jockey wheel clamp handle - short	1	PC	Square-design
4	249127	Support wheel holder, center attachment, load capacity 300 kg	1	PC	Retrofit kit can optionally be attached top mounting or bottom mounting
5	293020	Retrofit kit, clamp, load capacity 150 kg	1	PC	Retrofit kit can optionally be attached